UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company	
MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 441	30 115 4
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohlo	o 44130 USA (See Attachment A)
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CA	TEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, in pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over publilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categoris N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or	Rubber Products Manufacturers (ARPM) Hose Handbook evels, or ressure protection on
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APP	PEAR ON THE PRODUCT TYPE OF CONSTRUCTION
Swagelok	FORGED WELDED WROUGHT DESCRIBE OTHER X PTFE Core
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE A	CTUAL ITEMS TO BE REGISTERED:
responsibility for the quality of the end product do solemnly declare that my knowledge represents the product for which registration is sought. The lemperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program wor in part and has been verified by RSI declaration conscientiously believing it to be true, and knowing that it is declaration.	he dimensions, materials of construction, pressure he herein named standards. I further declare that the which extends to each plant where fabrication occurs in whole as being suitable for that purpose and I make this solemn
Signature of Declarer:	
Declared before me at Unable to get a notary sign	nature of is space for the
Thisday of seal due to COVID-19 sit Commissioner of Oaths or Notary Public: (sign) September 17, 2020	R
(Affix Official seal to the right)	DEPT OF JUSTICE PUBLIC SAFETY
This registration must be revalidated after ten (Authority Hone & PRESSURE VESSEL ACT 10) years from the date of acceptance.
CRN: 0D22750.5	REGISTRATION ONLY
	CD20750 57
FID#:1214	CRN CODO TOC. ST
Crimped ST series PTFE hose assemblies. Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	CHIEF DON FR INSPECTOR DATE 11/13/20
CRN expires Oct.16th, 2030 - DG	
	FITTINGS NUCLEAR COMPONENTS



Canadian Registration Number Submittal
Category D Crimped Swagelok ST series PTFE Hose

THIS IS PART OF CRN 0D22750.5

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

September 1, 2020 Page 1 of 2

Attachment B: Scope of Registration for Crimped Swagelok ST series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex ST series hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

ST	Maximum Pressure (psig)					
series Hose Size	At Minimum Temp. (-65°F)	Room temperature (0°-100°F)	At Maximum Temp. (400°F)	Pressure Retaining Material	End Connections and Sizes	Design Code of Construction
1/8"	3000	3000	2550			
1/4"	3500	3500	3250 Sm	Core Smooth Bore PTFE Braid Synthetic Fiber Braid & 304 SS Braid Reinforcement Cover Silicone cover End Connections 316 SS	Swagelok Tube Fitting [SL SM] 1/8" – 2" (3 – 50mm) Male & Female NPT Tapered Pipe Fitting [PM, PF] 1/8" – 2"	
3/8"	3000	3000	2350		Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT, FT] 1/4" – 1" Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS] 1/4" – 2"	Association for Rubber Products Manufacturers
1/2	1800	1800	1800		Tube Butt Welds [TB] 1/2" – 1" Male & Female VCO O-ring Face seal Fitting [VF, VM] 1/8" - 2"	(ARPM) Hose Handbook
3/4	1250	1250	1250	Crimp on Collar 300 series SS	Male & Female VCR Metal Gasket Face seal Fitting [RF, RM] 1/8"- 2" Female ISO/BSP Parallel Threads (ISO 228) [FS] 1/4" – 1"	
1"	1000	1000	1000			



Canadian Registration Number Submittal
Category D Crimped Swagelok ST series PTFE Hose

THIS IS PART OF CRN

0D22750.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program


September 1, 2020 Page 2 of 2

Product Description

The Swagelok ST series hose is a virgin PTFE-lined hose with a fiber braid reinforcement and 304 stainless steel reinforcement with silicone cover. The exceptions are the 1/8-inch nominal size hose does not have the fiber braid and the 1 inch nominal size is constructed with two stainless steel braids and no fiber braid. All ST series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).

Configurations

All end connection inserts are crimped onto the hose using crimp collars.



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

THIS IS PART OF CRN 0D22750.5

Technical Standards and Safety Authority

Attachment A. Swagelok Manufacturing Locations Boilers and Pressure Vessels Safety Program

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man