1

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Surgeon Communication Co	
MANUFACTUREDS ADDRESS.	
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139-3492 (See At	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, elbows, Ye, plugs, unions, ptpe caps, or reducers B Flanges; all flanges C Valves: all time valves O Expension joints, flexible connections, and hose assemblies: all types E Strainers, fitters, separators, and steem traps F Massuring devices, including pressure gauges, level gauges, sight glasses, levels, or	British Standards Institution
pressure transmitters G. Cartifled capacity-rated pressure raisel devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H. Pressure rateining components that do not fall into one of the above categories	
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements)	<u> </u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGIO AS IT WILL APPEAR ON THE PRODUCT SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGIO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED CI WELDED CI WROUGHT EF CART CI OTHER CI DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE RE	GISTERED:
ISO 9001:2008 Quality System Certificate, Support Documents, Attachment B, Catalog Inform	
DECLARATION: 1 David H. Peace jees and a) employed by Swagelok Company and be responsibility for the quality of the end product do solemnly declare that the information contains my knowledge represents the product for which registration is accept. The dimensions, material temperature ratios, and identification markings are in accordance with the herein named stands	id in this form is true and to the best of is of construction, pressure
menutecture of these fittings is regulated by a Quality Control Program which extends to each pi or in part and has been verified by The British Standards Institution as being suitable for the declaration conscientiously believing it to be true and knowing that it is of the same force and a Signature of Declarat:	ant where fabricallon occurs in whole
Declared before me at Solon, Dnio USETHIS	S P A STATE OF THE
This OTh day of May AD 2014 Commissioner of Oaths Commission Explores: 03/08/2019 (Affix Official seed to the right) Commission Explores: 03/08/2019	ICIALES S
This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date	
CRN: 0C16922.5	PRESSURE
FID#:	June 27/14
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.	described
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	Part

Attachment A. Scope for Swagelok AFS Series Vall Valves (Category C)

This document represents the scope of the Swagelok AFS Series Ball Valves covered by this submission for CRN approval. The Swagelok AFS Series Ball Valves were designed and evaluated in accordance with ASME B31.1-2007 for unlisted components and ASME B31.3-2006 for unlisted components.

Summary Table

Product Description or Series	Main Pressure Bearing Component	Main Pressure Bearing Material (Standard)	Port Connections and Sizes	Maximum Rated Pressure		Design Code
				At ambient temperature	At maximum temperature	of Construction
AFS	Body	Stainless Steel (ASTM A479)	Swagelok Tube Fitting 3/8", 1/2", 12MM	6000 @ 100 °F	6000 @ 250 °F	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
			Swagelok Tube Fitting 3/4", 16MM	5800 @ 100 °F	5742 @ 250 °F	
			Swagelok Tube Fitting 1"	4700 @ 100 °F	4653 @ 250 °F	
			Female NPT 3/8", 1/2"	6000 @ 100 °F	6000 @ 250 °F	
			Female NPT 3/4"	5600 @ 100 °F	5532 @ 250 °F	
			Female ISO 1/2"	6000 @ 100 °F	6000 @ 250 °F	

Product Illustrations



Product Options:

Additional options and non-pressure boundary alterations that do not affect pressure-temperature ratings may be made available within the scope of this registration. Examples of these would include handle options, actuator options, etc.

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The AFS ball valve products are made at a Swagelok Company location in Solon, Ohio.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

• Alternate Fuel Service Ball Valve Catalog MS-02-303, R10