UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

PRINCE EDWARD ISLAND

NOVA SCOTIA

NEW BRUNSWICK

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR		
MANUFACTURERS NAME:	Swagelok Company				
MANUFACTURERS ADDRESS	29500 Solon Road, Solon, Ohio 44139 USA				
PLANT LOCATIONS: Headou	arters: 29500 Solor	Road, Solon, Ohio 44139 USA (See At	tachment A)		
CATEGORY OF FITT	NGS TO BE REGISTER	ED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION		
A Pipe littings, including coupling Flanges: all flanges (C) Valves: all line valves: D Expansion joints, flexible context Strainers, filters, separators, or Measuring devices, including pressure transmitters C cartified capacity-rated press bollers, pressure vessels, plp H Pressure retaining component	ngs, tees, elbows, Ys, plus nections, and hose essen and steem treps pressure gauges, level gu ure relief devices accepts ing and fusible plugs as that do not fail into one	gs, unions, pipe caps, or reducers nblies: all types suges, sight glasses, levels, or tible as primary over pressure protection on of the above categories	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components		
SHOW MANUFACTUREDS WAS	E TRADEMARY OR I	CI, (Meeting AECB or ASME requirements) OGO AS IT WILL, APPEAR ON THE PRODUCT			
Swa	gelok	SOU AS IT WILL APPEAR ON THE PRODUCT	PORGED O WROUGHT NO CAST O OTHER O		
LIST OF SUPPORTING DOCUM	SENTATION AND IDENT	IFICATION OF THE ACTUAL ITEMS TO BE RE	COURTEDON.		
my knowledge represents the emperature ratings, and ident manufacture of these fittings is or in part and has been verified	the end product do sol product for which regis fication markings are it regulated by a Quality is by BSI	lemnly declare that the information contains stration is sought. The dimensions, material in accordance with the herein named stands y Control Program which extends to each pl	s of construction, pressure srds. I further declare that the ant where fabrication occurs in whole		
Signature of Declarer:	holc. For		nest as it include discler Outs,		
Declared before me at		USETHIS	SPACE FOR THE		
This day of _U	nable to getanne	otary signature or seal OFF	CIAL SEAL		
		situation - June 29, 2020			
	Affix Official seal to the ri	ght)			
This r	Thi egistration must be rev	s space for Regulatory Authority use validated after ten (10) years from the date of	of acceptance.		
CRN: 0C20808.2	_		SSURE		
FID#: 1214 General service ball designs (series 8GB Notes 1. As fittings shall be registered 2. Each category shall be supportion 3. The dectaration shall be made responsibility for the quality of the 4. Quality control programs shall at a maximum interval of five (5)	& 16GB). In the name of the Manuf rised with two Statutory Do g documentation. In the person having full In a resubmitted for valids If he resubmitted for valids	scturer. octaration B authority and C.R.N. OC & Dwg. oc de Signed Juccus 1 of Pa	se Perry		
CRN expires July 7,	2030 - DG	& REGI	& REGULATION		



Canadian Registration Number Submittal Category C: Swagelok GB Series Ball Valve

Attachment B: Scope for Swagelok GB Series, 316 Stainless Steel and Alloy 2507, General Service Ball Valves (Category C)

This document represents the scope of the GB Series General Service Ball Valves, 2- and 3-piece designs, covered by this submission for CRN approval. These products were designed and evaluated in accordance with ASME B31.1-2018 for unlisted components and ASME B31.3-2018 for unlisted components.

Summary Table

Product Series	Main Pressure Bearing Components	Main Pressure Bearing Material (Standard)	Port Connections and Sizes	Maximum Rated Pressure (psig)		Design Code
				At -40°F to 100°F	At maximum temperature 250°F	of Construction
		316 SS (ASTM A479)	Swagelok Tube Fitting 3/8", 1/2", 12mm			
			Female NPT 3/8", 1/2", 3/4"	6,000	4,935	
	Body, End Screw(s)		Female ISO/BSP Tapered (RT) 3/8", 1/2", 3/4"			
	Screw(s)		Swagelok Tube Fitting 3/4"	5,800	4,935	1
8GB		Swagelok Tube Fitting 16mm	5,810	4,935]	
			Swagelok Tube Fitting 18mm	5,375	4,935	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
			Swagelok Tube Fitting 20mm	5,520	4,935	
		Alloy 2507 (ASTM A479)	Swagelok Tube Fitting 3/8", 1/2", 3/4"		5,818	
	Body, End Screw(s)		Female NPT 3/8", 1/2", 3/4"	6,000		
	001011(0)		Female ISO/BSP Tapered (RT) 3/8", 1/2", 3/4"			
Body, End Screw(s) 16GB Body, End Screw(s)		316 SS (ASTM A479)	Swagelok Tube Fitting 3/4"	5,800	4,935	
			Swagelok Tube Fitting 1"	4,700	4,653	
			Swagelok Tube Fitting 18mm	5,375	4,935	
			Swagelok Tube Fitting 20mm	5,520	4,935	
	• •		Swagelok Tube Fitting 22mm	4,935	4,885	
	Ociew(3)		Swagelok Tube Fitting 25mm	4,645	4,598	
			Female NPT 3/4", 1"	6,000	4,935	
			Female ISO/ BSP Tapered (RT) 3/4", 1"			
		Alloy 2507 (ASTM A479)	Swagelok Tube Fitting 3/4"	6,000	5,818	
			Female NPT 3/4", 1"			
			Female ISO/ BSP Tapered	6,000	5,010	
			(RT) 3/4", 1"		2020-03316	BSA

SAFETY CODES ACT - PROVINCE OF ALBERTA
ACCEPTED: 0C20808.2
See acceptance letter for
conditions of registration.
Date: 2020-07-07
By: Zon Zonovivo

Date: June 23, 2020

Page 1 of 2

ZANA RADISAVLJEVIC, P. Tech. (Eng.)



Canadian Registration Number Submittal Category C: Swagelok GB Series Ball Valve

Product Illustration



Configurations

Bodies are only available in a straight pattern (2 ports), as shown in the above illustration.

Product Options:

The above summary table shows the options within scope of this registration. Additional options that do not affect pressure and/or temperature ratings are also available within the scope of this approval. Examples of these include:

Date: June 23, 2020

Page 2 of 2

- Handle options
- Pneumatic actuators

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options:

- GB Series General Service Ball Valves Catalog MS-02-484, Rev B
- Technical drawings availible at thomas.net
 https://cad.swagelok.com/? ga=2.159136250.1391233614.15905863421032800005.1561382416

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)			
29500 Solon Road	348 Bishop Road			
Solon, Ohio 44139	Highland Heights, Ohio 44143			
USA	USA			
Swagelok Company (Highland)	Swagelok Company (Falon 2)			
318 Bishop Road	358 Bishop Road			
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143			
USA	USA			
Swagelok Company (OFC)	Swagelok Company (HPF)			
29495 F.A. Lennon Drive	6050 Cochran Road			
Solon, Ohio 44139	Solon, Ohio 44139			
USA	USA			
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)			
26651 Curtiss Wright Parkway	6060 Cochran Road			
Willoughby Hills, Ohio 44092	Solon, Ohio 44139			
USA	USA			
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139			
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)			
29900 Solon Industrial Parkway	15400 Foltz Road			
Solon, Ohio 44139	Strongsville, Ohio 44119			
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man			



9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4

Tel: (780) 437-9100 / Fax: (780) 437-7787

July 07, 2020

Attention: Jonathan Seewald

SWAGELOK COMPANY 29500 SOLON ROAD SOLON, OH 44139

The design submission, tracking number 2020-03316, originally received on June 30, 2020 was surveyed and accepted for registration as follows:

CRN: 0C20808.2 **Accepted on:** July 07, 2020

Reg Type: NEW DESIGN Expiry Date: July 07, 2030

Drawing No.: CATALOG MS-02-484 Rev B

Fitting type: GENERAL SERVICE BALL VALVES (SERIES 8GB & 16GB)

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are ASME B31.1 and ASME B31.3.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,

RADISAVLJEVIC, ZANA, P. Tech. (Eng.)

Zana Padisay/jevil

DOP Cert. No. D00003136

2020-03316 Page 1 of 1