VWID TO ZVIZ 11-17100

UNIFORM ST	ATUTORY DECLARA	TION FORM FOR THE REGISTRATIO	N OF FITTING DESIGNS
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LARRADO
MANUFACTURERS NAME:	DWDECION COMPONY		
MANUFACTURERS ADDITE	58: 29500 Solon Rose	Solon, Ohio 44139 USA	
PLANT LOCATIONS: Hea	douarters: 29500 Solor	Road Solon Ohio 44139 USA (See At	tachment Al
CATEGORY OF F	TINGS TO BE REGISTERS	ED. CIRCLE ONE CATEGORY ONLY	THE OF THE STANDARDS CONTINUE
B Plangos: ell filanges C Velveo: all fila valvos D Expanatos johta, filetible el Ditathera, filana, esperatos Messuring devices, includi pressure transmittera Certified capacity-rated po bollera, pressure vesuels, Pressure retrining compan Nuclear companents: Cist	connections, and hose seasor is, and altern traps no pressure gauges, lives on assure relief devices accepts ploing and fusible plags rents that do not fall into one as 1  Class 2  Class 3  Class 3 C	unges, eight glasses, lovets, or this as primary over pressure protection on of the above categories  J. (Moeting AECB of ASME requirements)	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components
HOW MARUFACTURERS N	AME, TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION -
Swo	igelok		PORCED D WELDED D WHOLIGHT N CAST D OTHER DESCRICE OTHER
JST OF SUPPORTING DOC	UMENTATION AND IDENT	FICATION OF THE ACTUAL ITEMS TO SERE	GISTERED:
ao ado1:so1a certificate	, Attachment A, Attachme	nt B, Catalog Information and other Suppo	rt Documents
ECLARATION:		112-	
el Feldman, Vise President, En	glaceting (see mis 2) employed	d by _ Swagelok Company and being	ng the person having full authority o
nperature ratings, and idea	attrication markings are in is regulated by a Quality	ration is sought. The dimensions, materials scordance with the herein named significant control Program which extends to each old	s in this form is true and to the best of construction, pressure rds. I further declare that the int where fabrication occurs in what
plared before me et	Solon, Oliv		المان
Jared Delore me at	-SOURCE DAILE	) IISETHIC	D. D. A. D. Mr. AAR VALUE OF THE PARTY OF TH

Jamie L. Ristau Resident Portage County Hotary Public, State of Ohio Commissioner of Oaths My Commission Emires: 01/98/2019 or Notary Public: (sign) (Affix Official coul to the right)

This apace for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: \_0E21343.5 FID#: 1214 CRU EXPIRE 5 APRIL 29, 2029 - DG. Notes:

1. All fillings shall be registered in the name of the Manufacturer.

2. Each category shall be supported with two Statutory Destaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full enthority and

responsibility for the quality of the end product.

4. Quality control programs shall be reatibulited for validation at a maximum interval of five (6) years.

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT

INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH



Canadian Registration Number Submittal #F-FILTER-2019

Category C: Swagelok Filters

Date: February 4, 2019 Page 1 of 3

# Attachment B: Scope of CRN Registration for Swagelok F, TF, FW and FC Series Filters (Category E)

This document represents the scope of the F, TF, FW and FC Series Filters covered by this submission for CRN approval. These filters were designed and evaluated in accordance with ASME B31.1-2016 for unlisted components and ASME B31.3-2016 for unlisted components.

#### Summary Table

Product Pre Series Be	Main Pressure	Main Pressure Bearing Material	Port Connections and Sizes	Maximum Rated Pressure (psig)		Design Code
	Bearing Component			@ 100°F	@ Max	of Construction
2F, 4F	Body	316 SS (ASTM A479)	Tube Fitting 1/8",1/4",3mm, 6mm Female NPT 1/8", 1/4" Male NPT 1/4" Male VCR 1/4"	3000   T  -	1640 @ 900°F	ART OF 21343.5
6F, 8F	Body	316 SS (ASTM A479)	Tube Fitting 3/8", 1/2"	2500	1360 @ 900°F	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
2F, 4F, 6F, 8F	Body	C36000 Brass (ASTM B16)	Tube Fitting 1/8",1/4",3/8",1/2", 6mm, 8mm, 10mm, 12mm Female NPT 1/8", 1/4" Male NPT 1/4", 3/8", 1/2"	1000	680 @ 300°F	
2TF, 4TF, 6TF,8TF	Body	316 SS (ASTM A479)	Tube Fitting 1/8",1/4",3/8",1/2", 6mm, 8mm, 10mm, 12mm Female NPT 1/8", 1/4" Male NPT 1/4", 3/8", 1/2" Tube Socket Weld 1/4", 3/8"	6000	3280 @ 900°F	
2TF, 4TF, 6TF, 8TF		C36000 Brass (ASTM B16)	Tube Fitting 1/8",1/4",6mm,8mm, 10mm Female NPT 1/8", 1/4" Male NPT 1/4", 3/8", 1/2"	2000	1470 @ 300°F	
	Body		Tube Fitting 3/8"	2000	1430 @ 300°F	
			Tube Fitting 1/2"	2000	1365 @ 300°F	
			Tube Fitting 12mm	2000	1320 @ 300°F	
4TF, 8TF	Body	Alloy 400 N04400 (ASTM B164)	Tube Fitting 1/8",1/4",3/8",6mm, 8mm,10mm Female NPT 1/8", 1/4" Male NPT 1/4", 3/8", 1/2"	5000	4160 @ 300°F	
			Tube Fitting 1/2"	4400	3652 @ 300°F	
			Tube Fitting 12MM	4208	3493 @ 300°F	
FW	Body	316 SS (ASTM A479)	Tube Fitting 1/4", 6mm Female NPT 1/8,1/4" Male NPT 1/4" Male VCR 1/4"	6000	3280 @ 900°F	
FC	Body	316 SS (ASTM A479)	Tube Fitting, Female 1/4", 6mm Female NPT 1/8", 1/4" Female ISO 1/4"	1000	760 @ 400°F	

Swagelok

Canadian Registration Number Submittal #F-FILTER-2019 Category C: Swagelok Filters Date: February 4, 2019 Page 2 of 3

## Product Illustration




## Typical Product Characteristics

Some product options could affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than those shown in the Summary Table. An example of this would be optional body seal materials.

Additional options that do not affect pressure-temperature ratings may be made available within the scope of this registration. An example of this would be optional filter elements.

All of the above options, those that affect pressure and/or temperature ratings and those that do not, are within the scope of this approval.



Canadian Registration Number Submittal #F-FILTER-2019 Category C: Swagelok Filters Date: February 4, 2019

Page 3 of 3

## Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

### References

The below product catalogs do not represent the full scope of registration, but rather details some of the most common options:

F, TF, FW Series Filter Catalog MS-01-092, Rev L

FC Series Filter Catalog MS-02-082, R6



## Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd.	Swagelok Limited
Changshu Export Process Zone	Ballafletcher Road
Changshu Economic Development Zone	Tromode
Changshu, Jiangshu	IM4 4RA
215513 China	Isle of Man

